





A technological innovation in the ceramic industry that aspires to inspire and fully realises the concept of customization. Our 1200x1800mm tiles are intricately crafted and flawlessly executed. They have a variety of designs and tones, not to mention an amazing 9 mm thickness that provides dimensional stability and endurance.

Scratch & impact resistant

Doesn't scratch from sharp objects & absorbs heavy impacts while maintaining its integrity.





Hygienic

Ideal for direct contact with food & prevents the proliferation of fungi and bacteria...



Easy to clean

Easy daily maintenance without the need for special products.

Abrasion resistant

It features great resistance to wear and tear, unalterable over time.




Resistant to ice and frost

Stable to extreme weather conditions; suitable for both indoors and outdoors.

Resistant to high temperatures

Resists direct contact with hot utensils without altering the look and performance.





Build a space second to none

Glossy

Entice all the gazes with these beautiful looking potent glossy finish tiles that not only portray high-end elegance but also seamless perfection. Use of modern polishing technology gives the surface the touch of lavish glamour. The exclusive kiln practice conducted on these makes them strong enough to bear everyday wear and tear, adding life to the surface glow. The glare-free shine clubbed with robust built is here and here to stay.

Lavica Pearl



3 - Random Faces



Size: **1200X1800mm**

Lavica Grey



3 - Random Faces



Finish: Size: 1200X1800mm

Lavica Beige



3 - Random Faces




Size: **1200X1800mm**

Statuario Rose



3 - Random Faces



Statuario Light



3 - Random Faces



Finish: Glossy Size: 1200X1800mm

Thickness: 9mm

Bottochino Royal



2 - Random Faces



Glossy

Size: 1200X1800mm

Thickness
9mm

Avorio crema



2 - Random Faces



Finish: Glossy Size: 1200X1800mm

Thickness: **9mm**

Avorio Grey



2 - Random Faces



Finish: **Glossy** Size: 1200X1800mm

Thickness:



Berlin Beige



3 - Random Faces



Finish: **Glossy**

Size: **1200X1800mm**

Thickness:



Oniciata Brown



2 - Random Faces



Finish: Glossy Size: 1200X1800mm

Thickness:

Oniciata Grey



2 - Random Faces




inish: **Glossy** Size: 1200X1800mm

Thickness 9mm Also Available in MATT Fini As " **M-Oniciata Grey**"

Pulpis Steel



3 - Random Faces




Size: **1200X1800mm**

Pulpis Dove



3 - Random Faces



Size: 1200X1800mm

Pulpis Crema



3 - Random Faces



Size: 1200X1800mm

Grigia Grey



3 - Random Faces





Veined White



3 - Random Faces



Size: **1200X1800mm**

Casa Grey



2 - Random Faces



Finish: Size: 1200X1800mm

Cadicar



3 - Random Faces




Size: **1200X1800mm**

Extra White



3 - Random Faces





Onyx



2 - Random Faces



Size: 1200X1800mm

Avenue Ivory



4 - Random Faces



Finish: Size: 1200X1800mm

Volakas



3 - Random Faces



Finish: **Glossy**

Size: 1200X1800mm

Breccia Lava



3 - Random Faces



Finish: **Glossy**



Fartoli White



3 - Random Faces



Size: 1200X1800mm

Summer White



3 - Random Faces



Finish: Size: 1200X1800mm

Coralito



3 - Random Faces




Size: 1200X1800mm

Fusion Blanca



3 - Random Faces



Fusion Peanut



3 - Random Faces





Size: 1200X1800mm

Fusion Marfil



3 - Random Faces





Finish: Size: 1200X1800mm

Lumos Marron



3 - Random Faces





Finish: **Glossy**

Size: **1200X1800mm**

Lumos Avorio



3 - Random Faces





Finish: **Glossy**



Lumos Cio



3 - Random Faces



Size: 1200X1800mm

Lumos Crema



3 - Random Faces



Finish: Size: 1200X1800mm

Lumos Bianca



3 - Random Faces



Size: **1200X1800mm**

Lumos Grigio



3 - Random Faces



Finish: **Glossy**

Tierra Smoke



2 - Random Faces



Size: **1200X1800mm**

Tierra Hazel



2 - Random Faces



Size: **1200X1800mm**

Eliza Beige



3 - Random Faces



Finish: Size: 1200X1800mm

Eliza Natural



3 - Random Faces





Bardilio Grey



3 - Random Faces



Finish: Size: 1200X1800mm

Cadicar Earth



3 - Random Faces





Aller



3 - Random Faces



Finish: Size: 1200X1800mm

Pitosa Choco



3 - Random Faces







Finish: Size: 1200X1800mm

Pitosa Grey



4 - Random Faces







Finish: Size: 1200X1800mm

Kaiti Crema



A new attitude Carving towards ceramic designs Perfection in our passion and habit. At Accord, we are mastering the art to build a captivating comfort zone to your place. It will definitely stun the onlookers with the amplified tile finish. contact us to fail in love with the latest tile treands. luxury Porcelain Slabs

M-Avorio Crema



2 - Random Faces



Size: **1200X1800mm**

M-Pacific White



3 - Random Faces




Finish: Size: 1200X1800mm

M-Mafin Rosso



3 - Random Faces



Size: 1200X1800mm

M-Estello Brown



2 - Random Faces



M-Nova Beige



2 - Random Faces



Size: **1200X1800mm**

M-Nova Ash



2 - Random Faces



Finish: Size: 1200X1800mm

M-Avorio Ice



2 - Random Faces



Size: **1200X1800mm**

M-Avorio Tan



2 - Random Faces







M-Dover Quilt



2 - Random Faces



Size: **1200X1800mm**

M-Dover Sandbar



2 - Random Faces



Finish: Size:
Matt 1200X1800mm

M-Dover Steel



2 - Random Faces



Finish: Size: Thickness: Matt 1200X1800mm 9mm

M-Dover Taupe



2 - Random Faces



M-Savoi Light



3 - Random Faces



Size: 1200X1800mm

M-Savoi Grey



3 - Random Faces



Finish: Size: 1200X1800mm

M-Travertino



2 - Random Faces



Size: 1200X1800mm

M-Turke Lana



3 - Random Faces







TECHNICAL SPECIFICATION OF SLAB VITRIFIED TILE

	TEST DISCRIPTIC	N					
CHARACTERISTIC	TEST METHOD	STANDARD AS PER ISO-13006/EN14411 GROUP	VALUE				
Deviation in Length	IS-13630-1	±0.50%	±0.10%				
Deviation in Width	IS-13630-1	±0.50%	±0.10%				
Deviation in Thickness	IS-13630-1	±5.00%	±5.00%				
Straightness of Sides	IS-13630-1	±0.50%	±0.10%				
Rectangularity	IS-13630-1	±0.60%	±0.15%				
Surface Flatness	IS-13630-1	±0.50%	±0.20%				
Surface Quality	IS-13630-1	Min. 95%	Min. 95%				
PHYSICAL PROPERTIES							
Water Absorption	IS-13630-2	≤0.50%	≤0.50%				
Modulus of Rapture(N/mm2)	IS-13630-6	Min. 35N/mm²	Min. 37N/mm²				
Breaking Strength(N)	IS-13630-6	<7.5mm-700N ≥7.5mm-1300N	≤7.5mm-1000N ≥7.5mm-1400N				
Moisture Expansion(mm/m)	IS-13630-3	0.06 Max	0.01 Max				
Scratch Hardness of Surface	IS-13630-13	Min. 4	Min. 4				
Resistance of Surface Abrasion(Glazed Tiles)	IS-13630-11	As per Mfg.	Class II Min.				
Co-Efficent of Linear Thermal Expansion	IS-13630-4	As per Mfg.	6.5x10 ^{-0.6} Max.				
Thermal Shock Resistance	IS-13630-5	10 Cycles Min.	10 Cycles Min.				
Crazing Resistance	IS-13630-9	As per Mfg.	5 Cycles at 7.5Bar Pressure				
Impact Resistance-Coefficent of Restitution	IS-13630-14	As per Mfg.	0.55 Min				
Frost Resistance	IS-13630-10	As per Mfg.	No Damage				
Bulk Density (g/cc)	IS-13630-2	>2.0 gm/cc	>2.0 gm/cc				
	CHEMICAL PROPE	RTIES					
Resistance of Staining	IS-13630-8	Class I Min.	Class I				
Resistance of Household Chemicals	IS-13630-8	Class AA Min.	Class AA				
Resistance to Acids & Alkalis	IS-13630-8	As per Mfg.	Min. Class A				
Slip Resistance	150-13006/EN1444 Group B A	As per Mfg.	As per Mfg.				

PACKING DETAIL

No.	Size	Thickness (approx.)	Pieces/Box	Area/Box	Wt./Box (approx.)
01	1200X1800mm	9mm	2 pcs.	4.32 sq. mtr.	92 kg